



# Portable Power Station

**CHAMPTEK**<sup>®</sup>  
We value your ID's

## Introduce

With a 300W continuous output, it provides enough power to charge all your devices, including phones, laptops, and even medical equipment. The lithium battery can be recharged from any standard wall outlet, car cigarette lighter, or solar panel, so you can always stay connected no matter where you go.

**Reliable Power Backup :** This portable solar power station provides a reliable backup power source for outdoor enthusiasts, ensuring that your devices stay charged during camping trips or power outages.

**High-Power Output:** With a 300W AC output and 230.4Wh battery capacity, this power station can charge multiple devices simultaneously, including laptops, smartphones, and tablets, making it perfect for users like John who need to stay connected on the go.

**Multiple Charging Options:** This power station can be charged via solar panel, AC adapter, car, or gas generator, providing flexibility for users like Sarah who need to charge their devices in different environments.

**Advanced Safety Features:** The power station features a pure sine wave inverter, ensuring safe and efficient power output, and a built-in LED light for nighttime use, making it a great option for outdoor enthusiasts like Mark who value safety and convenience.

**Compact and Portable Design:** Weighing only [weight not specified], this power station is easy to carry and store, perfect for users like Emily who need a portable power solution for their RV or camping trips.

## Specification

### Output

AC Output: 1 x 240V/10A Outlets; 300W In Total(230V/50Hz)  
1 x 120V/10A Outlets; 300W in total(120V/60Hz)

Inverter Type: Pure Sine Wave / Modified Sine Wave

Surge Power: 600W

USB-C Port: 1× 5V/3A

USB-A Port: 3× 5V/2.4A

DC Output: 12V/10A

Wireless Charging: 15W Max ( Optional )

### Input

AC Input: 50W Max

Solar(MPPT) Input: 12-28V/2.5A 40W Max

Car Input: 12/24V 2.5A

### General

Capacity: 230.4Wh/3P4S

Type: LiFePO4 32700 (Lithium Iron Phosphate)

Life Cycles: 2500+ Cycles to 80% Original Capacity

Weight: ≈3.5kg

Dimensions (LxWxD): 8.5×5.16×5.79 in / 217×131×147mm

Operating Temperature: 14-104°F (-10-40°C)

Storage Temperature: 32-104°F (0-40°C)



Fully charged takes approx 5 hours.



Solar Panel Charging




Multiple Ports



Emergency Light



Multiple Protections



## Voter Biometric Management Suite

- Rugged Tablet and Lock
- IP67 Carry Case
- Signature Pad and keyboard
- Webcam
- Document Scanner
- Printer
- Fingerprint Scanner
- USB Hub
- Portable Power Station

**CHAMPTEK**<sup>®</sup>  
We value your ID's

[www.champtek.com](http://www.champtek.com)

### Taiwan (Headquarters)

1F, No.4, Alley 2, Shih-Wei Lane, Chung-Cheng Rd.,  
Xindian Dist., New Taipei City 231, Taiwan  
Tel: +886-2-2219-2385  
E-mail: [sales@champtek.com](mailto:sales@champtek.com)

### Europe

Heliumweg 34a, 3812 RE Amersfoort  
The Netherlands  
Tel: +31 (0)33 4698 400 Fax:+31 (0)33 4650 615  
E-mail: [sales@champtek.com](mailto:sales@champtek.com)

### South Africa

Panamo House, Building 26, Waterford Office Park,  
Waterford Drive, Fourways, Johannesburg, South Africa  
Tel: +27 71 677 7510  
E-mail: [jayk@champtek-group.com](mailto:jayk@champtek-group.com)

### China

Room 2322, No.168, Yude Rd., Xuhui District, Shanghai,  
China Tel:+86-21-5489-0021  
Fax:+86-21-5489-1833  
E-mail: [sales@champtek.com](mailto:sales@champtek.com)